

House \_\_\_\_\_ Amendment NO. \_\_\_\_\_

Offered By

- 1 AMEND House Committee Substitute for House Bill No. 1867, Page 14, Section 319.031, Line 5,  
2 by deleting from said line the phrase "or are likely to exist"; and  
3  
4 Further amend said section and page, Lines 7 and 8, by deleting from said lines the phrase "or are  
5 likely to exist"; and  
6  
7 Further amend said section and page, Line 19, by deleting from said line the phrase "or are likely to  
8 exist"; and  
9  
10 Further amend said bill, Section 319.033, Page 15, Lines 3 to 7 by removing all of said lines from  
11 the bill and inserting in lieu thereof the following:  
12  
13 "319.015, or if such infrastructure is replaced, or rehabilitated by excavation within the public  
14 right-of-way, the facility owner shall be required to place an access point and cleanout at the edge of  
15 the public right-of-way at the facility owner's expense. Trace wire shall be placed in the access point  
16 and cleanout and shall be designed to give approximate locations of the underground lateral"; and  
17  
18 Further amend said section, Page 15, Lines 12 to 14, by removing all of said lines from the bill and  
19 inserting in lieu thereof the following:  
20  
21 "of negligence against the facility owner failing to provide an access point and cleanout or to install  
22 tracer wire or a similar technology, and violators shall be liable for damages caused by their failure  
23 to act in accordance with this section."; and  
24  
25 Further amend said bill by amending the title, enacting clause, and intersectional references  
26 accordingly.

Action Taken \_\_\_\_\_ Date \_\_\_\_\_