HB2015 FULLAMD1 Mike Ritze-SD 2/12/2013 12:58:26 pm

COMMITTEE AMENDMENT

HOUSE OF REPRESENTATIVES
State of Oklahoma

| SPEAKER: | |
|--|---|
| CHAIR: | |
| I move to amend <u>HB2015</u> | Of the printed Bill |
| Page17, 28, 33 Section1, 2 and 3 Line | Of the Engrossed Bill |
| In Section 1, page 17, line 24 1/2, by inserting paragraph 41 to read, "41. Prior to the pregnant consent to having any part of the abortion perfor pregnancy was at least eight (8) weeks after fert pregnant woman told that it may be possible to matheat beat of the unborn child audible for the pregnant woman asked if she would heartbeat? Was the pregnant woman asked if she would heartbeat? Was the embryonic or fetal he child made audible for the pregnant woman to hear heart rate monitor? If the response this paragraph 41 was anything other than an unquabortion performed in compliance with Sections 1-of Title 63 of the Oklahoma Statutes? | woman giving informed med or induced, if the cilization, was the ake the embryonic or fetal egnant woman to hear? ald like to hear the eartbeat of the unborn a, using a Doppler fetal to any of the questions in talified YES, how was the |
| In Section 2, page 28, line 3, after the word "ticolon";" and on page 28, line 3 1/2 by inserting paragraph 46 to read, "46. The number of abortic woman was told that it may be possible to make the heartbeat of the unborn child audible for the prenumber of abortions in which the pregnant woman a hear the heartbeat; and the number of abortions if fetal heartbeat of the unborn child was made audiwoman to hear, using a Doppler fetal heart rate means the second se | g a new enumerated ons in which the pregnant ne embryonic or fetal egnant woman to hear; the asked if she would like to n which the embryonic or ble for the pregnant |
| In Section 3, page 33, line 1, by deleting the enwith the words, "If the claim" and ending on line the action." | |
| AMEND TITLE TO CONFORM TO AMENDMENTS | |
| Amendment s Adopted: | submitted by: Mike Ritze |
| - | |

Reading Clerk